



UNIVERSITÀ
DEGLI STUDI
DI PADOVA

INDEX SEMINUM *MMXXVI*

*quae Hortus Botanicus Patavinus
permutanda proponi*



Centro di Ateneo
Orto Botanico dell'Università di Padova
Via Orto Botanico, 15 - 35123 Padova – ITALY
E-mail: index.ortobotanico@unipd.it

Hortus Botanicus Patavinus anno MDXLV conditus
Prof. Franciscus Bonafede creator
Area 36.000 mq
Superficies vitrea cellarum calidarium 3.500 mq

SITUS ET COELI STATUS

Situs Horti Botanici:

Longitudo orientalis (Greenw.) 11° 52' 54"
Latitudo septentrionalis 45° 24' 00"
Altitudo supra libram maris m 12

Coeli status:

TEMPERATURAE (°C)

singulis mensibus	J	F	M	A	M	J	J	A	S	O	N	D	media annua
Max. 2025	17,4	15,9	19,7	25,5	28,3	35,2	35,6	35,7	29,5	24,2	19,8	9,5	
Min. 2025	-2,9	-1,8	0,9	2,7	10,3	16,3	14,0	15,1	10,9	5,3	-1,5	-2,5	
m/max. 2025	9,1	10,9	16,0	19,6	23,2	30,9	29,7	29,5	25,3	18,9	13,9	11,0	19,8
m/min. 2025	2,7	3,2	6,4	9,7	13,2	19,7	19,5	18,9	15,8	9,5	4,9	3,1	10,6
m/mens. 2025	5,6	6,6	10,8	14,7	18,1	25,4	24,4	23,8	20,0	13,6	8,6	6,4	14,8

SUMMA PLUVIARUM COELI (mm)

singulis mensibus	J	F	M	A	M	J	J	A	S	O	N	D	totius anni
mm 2025	36	50	119	83	63	64	43	254	50	66	77	34	939
n°d. 2025	7	4	8	10	12	7	5	6	9	13	11	8	100

dati forniti da ARPAV

Max. = singulis mensibus maxima ratio
Min. = singulis mensibus minima ratio
m/max. = maximarum media ratio
m/min. = minimarum media ratio
m/mens. = singulis mensibus media ratio
mm = summa pluviarum coeli singulis mensibus
n°d. = dies pluviales > 1 mm

SEMINA ET SPORAE PLANTARUM IN HORTO CULTARUM

PTERIDOPHYTA

ASPLENIACEAE

1. *Asplenium kaulfussii* Schltdl.
2. *Asplenium nidus* L.
3. *Asplenium scolopendrium* (L.) Newman
4. *Asplenium trichomanes* L.
5. *Caenopteris daucifolium* (Lam.) Desv.
6. *Thelypteris normalis* (C.Chr.) Moxley

ATHYRIACEAE

7. *Diplazium proliferum* (Lam.) Thouars

CYATHEACEAE

8. *Alsophila australis* R.Br.

DAVALLIACEAE

9. *Davallia tyermannii* (T.Moore) Baker

DENNSTAEDTIACEAE

10. *Dennstaedtia globulifera* Hieron.
11. *Microlepia speluncae* (L.) T.Moore

DICKSONIACEAE

12. *Balantium antarcticum* (Labill.) C. Presl

DRYOPTERIDACEAE

13. *Cyrtomium falcatum* (L.f.) C.Presl
14. *Polystichum aculeatum* (L.) Roth

MARSILEACEAE

15. *Marsilea drummondii* A.Braun
16. *Marsilea macrocarpa* C.Presl
17. *Marsilea quadrifolia* L.
18. *Marsilea strigosa* Willd.

POLYPODIACEAE

19. *Cyrtomium caryotideum* (Wall. ex Hook. & Grev.) C.Presl
20. *Microsorium musifolium* (Blume) Copel.
21. *Microsorium punctatum* (L.) Copel.
22. *Platyterium alcicorne* (Willemet) Desv.
23. *Polypodium australe* L.

- 24. *Polypodium leiorhizum* Wall.
- 25. *Polypodium vulgare* L.
- 26. *Pyrrosia abbreviata* (Zoll. & Moritzi) Tagawa
- 27. *Lepisorus tosaensis* (Makino) H. Itô

PTERIDACEAE

- 28. *Adiantum capillus-veneris* L.
- 29. *Adiantum hispidulum* Sw.
- 30. *Adiantum macrophyllum* Sw.
- 31. *Adiantum peruvianum* Klotzsch
- 32. *Pteris multifida* Poir.
- 33. *Pteris vittata* L.

TECTARIACEAE

- 34. *Tectaria gemmifera* (Fée) Alston

SPERMATOPHYTA

GYMNOSPERMAE

CUPRESSACEAE

- 35. *Metasequoia glyptostroboides* Hu & W.C.Cheng

EPHEDRACEAE

- 36. *Ephedra distachya* L.
- 37. *Ephedra foeminea* Forssk.
- 38. *Ephedra fragilis* Desf.
- 39. *Ephedra intermedia* Schrenk & C.A.Mey

GINKGOACEAE

- 40. *Ginkgo biloba* L.

TAXACEAE

- 41. *Taxus baccata* L.

ANGIOSPERMAE

ACANTHACEAE

- 42. *Acanthus mollis* L.
- 43. *Acanthus spinosus* L.

ACTINIDIACEAE

- 44. *Actinidia chinensis* Planch.

ALISMATACEAE

- 45. *Alisma lanceolatum* With.
- 46. *Alisma plantago-aquatica* L.
- 47. *Alisma subcordatum* Raf.
- 48. *Sagittaria graminea* Michx.

AMARANTHACEAE

- 49. *Alternanthera sessilis* (L.) DC.
- 50. *Amaranthus caudatus* L.
- 51. *Atriplex hortensis* L.
- 52. *Blitum virgatum* L.
- 53. *Chenopodium album* L.
- 54. *Chenopodium quinoa* Willd.
- 55. *Gomphrena globosa* L.

AMARYLLIDACEAE

- 56. *Agapanthus africanus* (L.) Hoffmanns.
- 57. *Allium ampeloprasum* L.
- 58. *Allium angulosum* L.
- 59. *Allium cernuum* Roth
- 60. *Allium cyrillii* Ten.
- 61. *Allium flavum* L.
- 62. *Allium lusitanicum* Lam.
- 63. *Allium ramosum* L.
- 64. *Allium sardoum* Moris
- 65. *Allium schoenoprasum* L.
- 66. *Allium suaveolens* Jacq.
- 67. *Allium subhirsutum* L.
- 68. *Allium suworowi* Regel
- 69. *Allium triquetum* L.
- 70. *Allium tuberosum* Rottler
- 71. *Allium ursinum* L.
- 72. *Amaryllis belladonna* L.
- 73. *Clivia miniata* (Lindl.) Verschaff.
- 74. *Crinum bulbispermum* (Burm.f.) Milne-Redh. & Schweick.
- 75. *Cyrtanthus angustifolius* (L.f.) Aiton
- 76. *Leucojum aestivum* L.
- 77. *Narcissus papyraceus* Ker Gawl
- 78. *Nothoscordum gracile* (Aiton) Stearn
- 79. *Tulbaghia violacea* Harv.
- 80. *Zephyranthes longifolia* Hemsl.

ANACARDIACEAE

81. *Cotinus coggygria* Scop.

ANNONACEAE

82. *Asimina triloba* (L.) Dunal

APIACEAE

83. *Ammi visnaga* (L.) Lam.

84. *Anthriscus cerefolium* (L.) Hoffm.

85. *Carum appuanum* (Viv.) Grande

86. *Carum carvi* L.

87. *Cenolophium denudatum* (Fisch. ex Hornem.) Tutin

88. *Cenolophium fischeri* (Spreng.) W.D.J.Koch

89. *Chaerophyllum bulbosum* L.

90. *Conium maculatum* L.

91. *Coriandrum sativum* L.

92. *Crithmum maritimum* L.

93. *Daucus carota* L.

94. *Daucus carota* L. subsp. *sativus* (Hoffm.) Schübl. & G.Martens

95. *Dystaenia takesimana* (Nakai) Kitag.

96. *Eryngium billardieri* F.Delaroche

97. *Eryngium monocephalum* Cav.

98. *Eryngium planum* L.

99. *Eryngium serbicum* Pančić

100. *Ferula assa-foetida* L.

101. *Ferula glauca* L.

102. *Ferula gummosa* Boiss.

103. *Ferulago campestris* (Mill.) W.D.J.Koch

104. *Oenanthe crocata* L.

105. *Oenanthe lachenalii* C.C.Gmel.

106. *Oenanthe pimpinelloides* L.

107. *Peucedanum cervaria* (L.) Lapeyr.

108. *Peucedanum officinale* L.

109. *Peucedanum palustre* (L.) Moench

110. *Scandix balansae* Reut.

111. *Selinum carvifolia* (L.)

112. *Sium sisarum* L.

113. *Smyrniolum olusatrum* L.

114. *Zizia aurea* Koch

APOCYNACEAE

- 115. *Amsonia hubrichtii* Woodson
- 116. *Amsonia orientalis* Decne
- 117. *Amsonia tabernaemontana* Walter
- 118. *Apocynum cannabinum* L.
- 119. *Asclepias curassavica* L.
- 120. *Asclepias incarnata* L. cv. "Cinderella"
- 121. *Asclepias nivea* L.
- 122. *Carissa macrocarpa* (Eckl.) A.DC.
- 123. *Cynanchum laeve* (Michx.) Pers.
- 124. *Gomphocarpus fruticosus* (L.) W.T.Aiton
- 125. *Orbea variegata* (L.) Haw.
- 126. *Rauvolfia vomitoria* Wennberg
- 127. *Stapelia hirsuta* L.
- 128. *Stephanotis floribunda* Jacques

AQUIFOLIACEAE

- 129. *Illex perado* Aiton
- 130. *Illex verticillata* (L.) A.Gray

ARACEAE

- 131. *Aglaonema marantifolium* Blume
- 132. *Anthurium sanguineum* Engl.
- 133. *Anthurium scandens* (Aubl.) Engl.
- 134. *Zantedeschia aethiopica* (L.) Spreng.

ARALIACEAE

- 135. *Aralia cordata* Thunb.
- 136. *Aralia racemosa* L.
- 137. *Panax quinquefolius* L.

ARECACEAE

- 138. *Calamus viminalis* Willd.
- 139. *Caryota mitis* Lour.
- 140. *Copernicia prunifera* (Mill.)H.E.Moore
- 141. *Phoenix canariensis* Chabaud
- 142. *Sabal minor* (Jacq.) Pers.
- 143. *Trachycarpus fortunei* (Hook.) H.Wendl.

ARISTOLOCHIACEAE

- 144. *Aristolochia rotunda* L.

ASPARAGACEAE

145. *Agave filifera* Salm-Dyck
146. *Agave victoriae-reginae* T.Moore
147. *Anemarrhena asphodeloides* Blume
148. *Anthericum ramosum* L.
149. *Arthropodium candidum* Raoul
150. *Asparagus acutifolius* L.
151. *Asparagus cochinchinensis* (Lour.) Merr.
152. *Bellevalia romana* (L.) Sweet
153. *Bellevalia trifoliata* (Ten.) Kunth
154. *Convallaria majalis* L.
155. *Danae racemosa* (L.) Moench
156. *Dracaena canaliculata* (Carrière) Byng & Christenh.
157. *Dracaena forskaliana* (Schult. & Schult.f.) Byng & Christenh.
158. *Dracaena suffruticosa* (N.E.Br.) Byng & Christenh.
159. *Eucomis pallidiflora* Baker subsp. *pole-evansii* (N.E.Br.) Reyneke ex J.C.Manning
160. *Hosta capitata* (Koidz.) Nakai
161. *Hosta lancifolia* (Thunb.) Engl.
162. *Hosta rectifolia* Nakai
163. *Hosta sieboldiana* (Hook.) Engl. var. *sieboldiana*
164. *Hosta sieboldii* (Paxton) J.W.Ingram
165. *Hosta ventricosa* Stearn
166. *Hyacinthoides non-scripta* (L.) Chouard
167. *Liriope muscari* (Decne) L.H.Bailey
168. *Maianthemum stellatum* (L.) Link
169. *Muscari botryoides* (L.) Mill.
170. *Muscari comosum* (L.) Mill.
171. *Ornithogalum pyramidale* L.
172. *Phormium tenax* J.R.Forst. & G.Forst.
173. *Polygonatum odoratum* (Mill.) Druce
174. *Rohdea japonica* (Thunb.) Roth
175. *Scilla amoena* L.
176. *Scilla peruviana* L.
177. *Yucca treculiana* Carrière

ASPHODELACEAE

178. *Aloe elgonica* Bullo
179. *Asphodelus cerasifer* J.Gay
180. *Asphodelus fistulosus* L.

- 181. *Hemerocallis lilioasphodelus* L.
- 182. *Kniphofia caulescens* Baker
- 183. *Kniphofia ensifolia* Baker
- 184. *Kniphofia northiae* Baker
- 185. *Kniphofia pauciflora* Baker
- 186. *Kniphofia primulina* Baker
- 187. *Kniphofia pumila* (Aiton) Kunth
- 188. *Kniphofia rufa* Baker
- 189. *Kniphofia triangularis* Kunth
- 190. *Kniphofia uvaria* (L.) Oken

ASTERACEAE

- 191. *Achillea collina* Becker
- 192. *Achillea distans* Waldst. & Kit. ex Willd.
- 193. *Achillea distans* Waldst. & Kit. ex Willd. subsp. *stricta* (Gremli) Janch.
- 194. *Achillea filipendulina* Lam.
- 195. *Achillea millefolium* L.
- 196. *Achillea thomasiana* Hall.f.
- 197. *Achillea tomentosa* L.
- 198. *Acmella oleracea* (L.) R.K.Jansen
- 199. *Artemisia annua* L.
- 200. *Artemisia dracunculus* L.
- 201. *Artemisia verlotiorum* Lamotte
- 202. *Aster amellus* L.
- 203. *Aster glandulosus* Labill.
- 204. *Aster sikkimensis* Hook.
- 205. *Aster tataricus* L.f.
- 206. *Aster tongolensis* Franch.
- 207. *Aster trinervius* Roxb.
- 208. *Berlandiera lyrata* Benth.
- 209. *Bidens frondosa* L.
- 210. *Boltonia asteroides* (L.) L'Hér.
- 211. *Buphthalmum salicifolium* L.
- 212. *Calendula officinalis* L.
- 213. *Caputia medley-woodii* (Hutch.) B.Nord. & Pelsner
- 214. *Carthamus lanatus* L.
- 215. *Centaurea babylonica* (L.) L.
- 216. *Centaurea castriferrei* Borbás & Waisb.
- 217. *Centaurea dichroantha* A.Kern.
- 218. *Centaurea jacea* L. subsp. *forojulensis* (Poldini) Greuter

219. *Centaurea scabiosa* L.
220. *Centaurea solstitialis* L.
221. *Chamaemelum nobile* (L.) All. cv. "Flore Pleno"
222. *Chondrilla juncea* L.
223. *Cichorium intybus* L.
224. *Coreopsis grandiflora* Hogg
225. *Coreopsis pubescens* Elliott
226. *Coreopsis tinctoria* Nutt.
227. *Coreopsis tripteris* L.
228. *Coreopsis verticillata* L.
229. *Cosmos bipinnatus* Cav.
230. *Cosmos sulphureus* Cav
231. *Crinitaria tatarica* (Less.) Soják
232. *Crupina vulgaris* Cass.
233. *Curio ficoides* (L.) P.V.Heath
234. *Curio herreanus* (Dinter) P.V.Heath
235. *Cyanus segetum* Hill
236. *Cynara cardunculus* L.
237. *Dahlia pinnata* Cav.
238. *Echinacea angustifolia* DC.
239. *Echinacea paradoxa* Britton
240. *Echinacea purpurea* (L.) Moench
241. *Echinacea tennesseensis* (Beadle) Small
242. *Echinops exaltatus* Schrad.
243. *Echinops ritro* L.
244. *Echinops sphaerocephalus* L.
245. *Emilia coccinea* (Sims) G.Don
246. *Eupatorium purpureum* L.
247. *Euthamia graminifolia* (L.) Nutt.
248. *Galatella sedifolia* (L.) Greuter
249. *Grindelia camporum* Greene
250. *Guizotia abyssinica* (L.f.) Cass.
251. *Helenium autumnale* L.
252. *Helianthus annuus* L.
253. *Helianthus giganteus* L.
254. *Helianthus maximilliani* Schrad.
255. *Helichrysum italicum* (Roth) G.Don
256. *Hieracium murorum* L.
257. *Hieracium porrifolium* L.
258. *Hieracium sabaudum* L.

- 259. *Inula helenium* L.
- 260. *Inula royleana* DC.
- 261. *Jacobaea erucifolia* (L.) G.Gaertn., B.Mey. & Scherb.
- 262. *Jacobaea paludosa* (L.) G.Gaertn., B.Mey & Scherb.
- 263. *Kalimeris mongolica* (Franch.) Kitam.
- 264. *Lactuca muralis* (L.) E.Mey.
- 265. *Leontodon crispus* Vill.
- 266. *Leontodon hispidus* L.
- 267. *Leucanthemum maximum* (Ramond) DC.
- 268. *Liatris pycnostachya* Michx.
- 269. *Liatris scariosa* (L.) Willd.
- 270. *Liatris spicata* (L.) Willd.
- 271. *Limbarda crithmoides* (L.) Dumort.
- 272. *Lindheimera texana* A.Gray & Engelm.
- 273. *Matricaria chamomilla* L.
- 274. *Onopordum acanthium* L.
- 275. *Pallenis spinosa* (L.) Cass.
- 276. *Parthenium integrifolium* L.
- 277. *Pentanema britannica* (L.) D.Gut. Larr., Santos-Vicente, Anderb., E.Rico & M.M.Mart.Ort.
- 278. *Pentanema ensifolius* (L.) D.Gut. Larr., Santos-Vicente, Anderb., E.Rico & M.M.Mart.Ort.
- 279. *Pentanema salicinum* (L.) D.Gut. Larr., Santos-Vicente, Anderb., E.Rico & M.M.Mart.Ort.
- 280. *Pentanema spiraeifolium* (L.) D.Gut. Larr., Santos-Vicente, Anderb., E.Rico & M.M.Mart.Ort.
- 281. *Picris hieracioides* Sibth. & Sm.
- 282. *Pilosella officinarum* Vaill.
- 283. *Psephellus trinervius* (Stephan ex Willd.) Wagenitz
- 284. *Pseudopodospermum hispanicum* (L.) Zaika, Sukhor. & N.Kilian
- 285. *Ratibida columnifera* (Nutt.) Wooton & Standl.
- 286. *Ratibida pinnata* (Vent.) Barnhart
- 287. *Reichardia picroides* (L.) Roth
- 288. *Roldana petasitis* (Sims) H.Rob. & Brettell
- 289. *Rudbeckia fulgida* Aiton
- 290. *Rudbeckia hirta* L.
- 291. *Rudbeckia laciniata* L.
- 292. *Santolina chamaecyparissus* L.
- 293. *Sanvitalia procumbens* Lam.
- 294. *Serratula tinctoria* L.

295. *Silphium integrifolium* Michx.
296. *Silphium perfoliatum* L.
297. *Silybum marianum* (L.) Gaertn.
298. *Smallanthus uvedalia* (L.) Mack.
299. *Solidago altissima* L.
300. *Solidago caesia* L.
301. *Solidago canadensis* L.
302. *Solidago flexicaulis* L.
303. *Solidago lepida* DC.
304. *Solidago x lutea* (A.Perry) Brouillet & Semple
305. *Solidago rugosa* Mill.
306. *Solidago serotina* Retz.
307. *Solidago virgaurea* L.
308. *Spongotrichum glandulosum* (Labill.) G.L.Nesom
309. *Stokesia laevis* (Hill) Greene
310. *Symphyotrichum chilense* (Nees) G.L.Nesom
311. *Symphyotrichum ciliolatum* (Lindl.) Á.Löve & D.Löve
312. *Symphyotrichum cordifolium* (L.) G.L.Nesom
313. *Symphyotrichum laeve* (L.) Á.Löve & D. Löve
314. *Symphyotrichum lateriflorum* (L.) Á.Löve & D. Löve
315. *Symphyotrichum novi-belgii* (L.) G.L.Nesom
316. *Symphyotrichum puniceum* (L.) Á.Löve & D.Löve
317. *Symphyotrichum turbinellum* (Lindl.) G.L.Nesom
318. *Symphyotrichum tradescantii* (L.) G.L.Nesom
319. *Symphyotrichum x versicolor* (Willd.) G.L.Nesom
320. *Takhtajaniantha austriaca* (Willd.) Zaika, Sukhor. & N.Kilian
321. *Tanacetum balsamita* L.
322. *Tanacetum corymbosum* (L.) Sch.Bip.
323. *Tanacetum parthenium* (L.) Sch.Bip.
324. *Tanacetum vulgare* L.
325. *Tragopogon porrifolius* L.
326. *Tragopogon pratensis* L.
327. *Verbesina alternifolia* (L.) Britton
328. *Vernonia arkansana* DC.
329. *Vernonia fasciculata* Michx.
330. *Vernonia gigantea* (Walter) Trel.
331. *Vernonia noveboracensis* (L.) Michx.
332. *Xanthium strumarium* L.
333. *Xeranthemum cylindraceum* Sm.
334. *Zinnia elegans* Jacq.

335. *Zinnia peruviana* (L.) L.

BEGONIACEAE

336. *Begonia carolineifolia* Regel

337. *Catalpa bignonioides* Walter

BIXACEAE

338. *Bixa orellana* L.

BORAGINACEAE

339. *Anchusa azurea* Mill.

340. *Anchusa officinalis* L.

341. *Borago officinalis* L.

342. *Cynoglossum creticum* Mill.

343. *Cynoglossum officinale* L.

344. *Echium vulgare* L.

345. *Ehretia dicksonii* Hance

346. *Symphytum officinale* L.

BRASSICACEAE

347. *Arabis hirsuta* (L.) Scop.

348. *Aurinia leucadea* (Guss.) K.Koch

349. *Barbarea vulgaris* R.Br.

350. *Berteroa incana* (L.) DC.

351. *Brassica nigra* (L.) W.D.J.Koch

352. *Brassica repanda* (Willd.) DC. ssp. *glabrescens* (Poldini) Gómez-Campo

353. *Cardamine matthioli* Moretti

354. *Cochlearia officinalis* L.

355. *Crambe hispanica* L.

356. *Diplotaxis muralis* (L.) DC.

357. *Erucastrum palustre* (Biv.) Vis.

358. *Erysimum cheiri* (L.) Crantz

359. *Erysimum sylvestre* (Crantz) Scop. subsp. *aurantiacum* (Leyb.) P.W.Ball

360. *Fibigia clypeata* (L.) Medik.

361. *Hesperis matronalis* L.

362. *Isatis tinctoria* L.

363. *Lepidium latifolium* L.

364. *Lunaria annua* L.

365. *Matthiola incana* (L.) W.T.Aiton

366. *Matthiola tricuspidata* (L.) W.T.Aiton

367. *Pseudoturris turrita* (L.) Al-Shehbaz

368. *Raphanus raphanistrum* L.

369. *Sinapis alba* L.

370. *Sisymbrium officinale* (L.) Scop.

BROMELIACEAE

371. *Aechmea mexicana* Baker

372. *Aechmea luddemanniana* (K.Koch) Mez

373. *Aechmea sphaerocephala* (Gaudich.) Baker

374. *Billbergia pallidiflora* Liebm.

375. *Fosterella schidosperma* (Baker) L.B.Sm.

376. *Tillandsia balbisiana* Schult. & Schult. f.

377. *Tillandsia juncea* (Ruiz & Pav.) Poir.

BYBLIDACEAE

378. *Byblis liniflora* Saisb.

CACTACEAE

379. *Cereus jamacaru* DC.

380. *Cereus repandus* (L.) Mill.

381. *Cylindropuntia tunicata* (Lehm.) F.M.Knauth

382. *Gymnocalycium calochlorum* (Boed.) Y.Itô

383. *Harrisia bonplandii* (J.Parm. ex Pfeiff.) Britton & Rose

384. *Harrisia tortuosa* (J.Forbes) Britton & Rose

385. *Lophophora williamsii* (Lem. ex J.F.Cels) J.M.Coult.

386. *Mammillaria hahniana* Werderm.

387. *Mammillaria magnimamma* Haw.

388. *Mammillaria pringlei* (J.M.Coult.) K.Brandegee

389. *Mammillaria prolifera* (Mill.) Haw.

390. *Mammillaria rhodantha* Link & Otto

391. *Opuntia dejecta* Salm-Dyck

392. *Opuntia elata* Link & Otto ex Salm-Dyck var. *elata*

393. *Opuntia engelmannii* Salm-Dyck ex Engelm.

394. *Opuntia engelmannii* Salm-Dyck ex Engelm. var. *lindheimeri* (Engelm.)
B.D.Parfitt & Pinkava

395. *Opuntia ficus-indica* (L.) Mill.

396. *Opuntia humifusa* (Raf.) Raf.

397. *Opuntia stenopetala* Engelm.

398. *Opuntia streptacantha* Lem.

399. *Opuntia stricta* (Haw.) Haw.

CALYCANTHACEAE

400. *Calycanthus floridus* L.

401. *Calycanthus occidentalis* Hook. & Arn.

CAMPANULACEAE

- 402. *Campanula phytidocalyx* Boiss.
- 403. *Campanula rapunculoides* L.
- 404. *Campanula rapunculus* L.
- 405. *Campanula sibirica* L.
- 406. *Campanula trachelium* L.
- 407. *Lobelia siphilitica* L.
- 408. *Platycodon grandiflorus* (Jacq.) A.DC.

CANNACEAE

- 409. *Canna flaccida* Salisb.
- 410. *Canna indica* L.

CAPRIFOLIACEAE

- 411. *Cephalaria gigantea* (Ledeb.) Bobrov
- 412. *Dipsacus fullonum* L.
- 413. *Dipsacus pilosus* L.
- 414. *Lomelosia argentea* (L.) Greuter & Burdet
- 415. *Lomelosia crenata* (Cirillo) Greuter & Burdet
- 416. *Lomelosia graminifolia* (L.) Greuter & Burdet
- 417. *Scabiosa triandra* L.
- 418. *Succisa pratensis* Moench
- 419. *Succisella petteri* (J.Kern. & Murb.) Beck
- 420. *Symphoricarpos albus* (L.) S.F.Blake
- 421. *Valeriana officinalis* L.
- 422. *Valeriana pratensis* Dierb.

CARICACEAE

- 423. *Carica papaya* L.

CARYOPHYLLACEAE

- 424. *Acanthophyllum cerastioides* (D.Don) Madhani & Zarre
- 425. *Agrostemma githago* L.
- 426. *Atocion armeria* (L.) Raf.
- 427. *Dianthus armeria* L.
- 428. *Dianthus hyssopifolius* L.
- 429. *Dianthus microlepis* Boiss.
- 430. *Dianthus monspessulanus* L.
- 431. *Dianthus plumarius* L.
- 432. *Dianthus sternbergii* Sieber ex Capelli
- 433. *Dianthus sylvestris* Wulfen
- 434. *Eremogone longifolia* (M.Bieb.) Fenzl

- 435. *Saponaria officinalis* L.
- 436. *Silene altaica* Pers.
- 437. *Silene baccifera* (L.) Durande
- 438. *Silene chalcedonica* (L.) E.H.L.Krause
- 439. *Silene coronaria* (L.) Clairv.
- 440. *Silene coronaria* (L.) Clairv. cv "Oculata"
- 441. *Silene flos-cuculi* (L.) Clairv.
- 442. *Silene hifacensis* Rouy ex Willk.
- 443. *Silene latifolia* Poir. subsp. *alba* (Mill.) Greuter & Burdet
- 444. *Silene noctiflora* L.
- 445. *Silene nutans* L.
- 446. *Silene vulgaris* (Moench) Garcke
- 447. *Silene vulgaris* (Moench) Garcke subsp. *commutata* (Gauss.) Hayek
- 448. *Viscaria vulgaris* Röhl.

CELASTRACEAE

- 449. *Euonymus europaeus* L.

CISTACEAE

- 450. *Cistus chusii* Dunal
- 451. *Cistus creticus* L.
- 452. *Cistus crispus* L.
- 453. *Cistus laurifolius* L.
- 454. *Helianthemum nummularium* (L.) Mill. ssp. *obscurum* (Pers.) Holub

CLEOMACEAE

- 455. *Cleome spinosa* Jacq.
- 456. *Cleome trachysperma* (Torr. & A.Gray) Pax & K.Hoffm.

COLCHICACEAE

- 457. *Colchicum autumnale* L.
- 458. *Colchicum lusitanum* Brot.

COMMELINACEAE

- 459. *Pollia japonica* Thunb.
- 460. *Tradescantia virginiana* L.

CONVOLVULACEAE

- 461. *Distimake dissectus* (Jacq.) A.R.Simões & Staples
- 462. *Ipomoea alba* L.
- 463. *Ipomoea hederacea* Jacq.
- 464. *Ipomoea x multifida* (Raf.) Shinnars
- 465. *Ipomoea nil* (L.) Roth

466. *Ipomoea purpurea* (L.) Roth

CORNACEAE

467. *Cornus mas* L.

468. *Cornus sanguinea* L. subsp. *australis* (C.A.Mey.) Jáv

CRASSULACEAE

469. *Crassula atropurpurea* (Haw.) D.Dietr.

470. *Crassula nudicaulis* L.

471. *Hylotelephium spectabile* (Boreau) H.Ohba

472. *Hylotelephium telephium* (L.) H.Ohba

473. *Petrosedum rupestre* (L.) P.V.Heath

474. *Petrosedum sediforme* L.

475. *Sedum cepaea* L.

CUCURBITACEAE

476. *Benincasa hispida* (Thunb.) Cogn.

477. *Citrullus colocynthis* (L.) Schrad.

478. *Cucumis melo* L.

479. *Ecballium elaterium* (L.) A.Rich.

480. *Luffa aegyptiaca* Mill.

481. *Momordica charantia* L.

482. *Sicyos angulatus* L.

CYPERACEAE

483. *Carex depauperata* Curtis

484. *Carex echinata* Murray

485. *Carex flacca* Schreb.

486. *Carex grayi* J.Carey

487. *Carex hordeistichos* Vill.

488. *Carex laevigata* Sm.

489. *Carex muskinguensis* Scwein.

490. *Carex pairae* F.W.Schultz

491. *Carex pendula* Huds.

492. *Cladium mariscus* (L.) Pohl

493. *Eriophorum angustifolium* Honck.

494. *Scirpoides holoschoenus* (L.) Soják

DIOSCOREACEAE

495. *Dioscorea bulbifera* L.

496. *Dioscorea communis* (L.) Caddick & Wilkin

497. *Dioscorea sansibarensis* Pax

DROSERACEAE

- 498. *Drosera capensis* L.
- 499. *Drosera capillaris* Poir.
- 500. *Drosera cuneifolia* L.f.
- 501. *Drosera dielsiana* Exell & J.R.Laundon
- 502. *Drosera montana* A.St.-Hill.

EBENACEAE

- 503. *Diospyros kaki* Thunb.
- 504. *Diospyros virginiana* L.

ERICACEAE

- 505. *Arbutus unedo* L.

EUPHORBIACEAE

- 506. *Manihot palmata* Müll.Arg.
- 507. *Ricinus communis* L.
- 508. *Ricinus communis* L. cv. "Sanguineus"

FABACEAE

- 509. *Albizia julibrissin* Durazz.
- 510. *Amorpha canescens* Pursh
- 511. *Astragalus cicer* L.
- 512. *Astragalus crassicaupus* Nutt.
- 513. *Astragalus glycyphyllos* L.
- 514. *Baptisia australis* (L.) R.Br.
- 515. *Caragana arborescens* Lam.
- 516. *Ceratonia siliqua* L.
- 517. *Coronilla varia* L.
- 518. *Desmanthus illinoensis* (Michx.) MacMill.
- 519. *Galega officinalis* L.
- 520. *Genista tinctoria* L.
- 521. *Glycine max* (L.) Merr.
- 522. *Glycine max* (L.) Merr. cv. "Black-Skinned"
- 523. *Glycyrrhiza echinata* L.
- 524. *Hippocrepis emerus* (L.) Lassen
- 525. *Hoita macrostachya* (DC.) Rydb.
- 526. *Hylodesmum glutinosum* (Muhl. ex Willd.) H.Ohashi & R.R.Mill
- 527. *Lablab purpureus* (L.) Sweet
- 528. *Laburnum anagyroides* Medik.
- 529. *Lathyrus niger* (L.) Bernh.
- 530. *Lathyrus sylvestris* L.

- 531. *Lathyrus tuberosus* L.
- 532. *Lathyrus vernus* (L.) Bernh.
- 533. *Lotus herbaceus* (Vill.) Jauzein
- 534. *Lotus maritimus* L.
- 535. *Lupinus polyphyllus* Lindl.
- 536. *Medicago sativa* L.
- 537. *Melilotus officinalis* (L.) Pall.
- 538. *Mimosa polycarpa* Kunth var. *spiegazzinii* (Pirota) Burkart
- 539. *Mimosa pudica* L.
- 540. *Neptunia oleracea* Lour.
- 541. *Orbexilum onobrychis* (Nutt.) Rydb.
- 542. *Senna alexandrina* Mill.
- 543. *Senna corymbosa* (Lam.) H.S.Irwin & Barneby
- 544. *Senna marilandica* (L.) Link
- 545. *Spartium junceum* L.
- 546. *Sulla coronaria* (L.) B.H.hoi & H.Ohashi
- 547. *Sunhangia elegans* (DC.) H.Ohashi & K.Ohashi
- 548. *Trifolium alpestre* L.
- 549. *Trifolium angustifolium* L.
- 550. *Trifolium arvense* L.
- 551. *Trifolium ochroleucon* Huds.
- 552. *Trifolium rubens* L.
- 553. *Trigonella foenum-graecum* L.
- 554. *Vicia villosa* Roth

GERANIACEAE

- 555. *Geranium sanguineum* L.
- 556. *Pelargonium crithmifolium* Sm.

GROSSULARIACEAE

- 557. *Ribes nigrum* L.

HYPERICACEAE

- 558. *Hypericum androsaemum* L.
- 559. *Hypericum hircinum* L.
- 560. *Hypericum hookerianum* Wight & Arn.
- 561. *Hypericum patulum* Thunb.
- 562. *Hypericum perforatum* L.
- 563. *Hypericum tetrapterum* Fr.

IRIDACEAE

- 564. *Aristea ecklonii* Baker

- 565. *Dietes grandiflora* N.E.Br.
- 566. *Gladiolus palustris* Gaudin
- 567. *Iris crocea* Jaquem ex R.C.Foster
- 568. *Iris decora* Wall.
- 569. *Iris domestica* (L.) Goldblatt & Mabb.
- 570. *Iris ensata* Thunb.
- 571. *Iris forrestii* Dykes
- 572. *Iris graminea* L.
- 573. *Iris halophylla* Pall.
- 574. *Iris hexagona* Walter
- 575. *Iris innominata* L.F.Hend.
- 576. *Iris juncea* Poir.
- 577. *Iris prismatica* Pursh
- 578. *Iris pseudacorus* L.
- 579. *Iris sanguinea* Donn ex Hornem.
- 580. *Iris setosa* Pall. ex Link
- 581. *Iris sibirica* L.
- 582. *Iris sintenisii* Janka
- 583. *Iris spuria* L. subsp. *maritima* (Dykes) P.Forum.
- 584. *Iris tuberosa* L.
- 585. *Iris typhifolia* Kitag.
- 586. *Iris versicolor* L.
- 587. *Sisyrinchium angustifolium* Mill.
- 588. *Sisyrinchium micranthum* Cav.
- 589. *Sisyrinchium patagonicum* Phil. ex Baker
- 590. *Sisyrinchium striatum* Sm.

JUNCACEAE

- 591. *Juncus acutus* L.
- 592. *Juncus maritimus* Lam.
- 593. *Luzula luzoloides* (Lam.) Dandy & Wilmott

LAMIACEAE

- 594. *Agastache foeniculum* (Pursh) Kuntze
- 595. *Agastache mexicana* (Kunth) Lint & Epling
- 596. *Ballota nigra* L. subsp. *meridionalis* (Bég.) Bég.
- 597. *Betonica officinalis* L.
- 598. *Callicarpa americana* L.
- 599. *Clinopodium nepeta* (L.) Kuntze
- 600. *Dracocephalum moldavica* L.
- 601. *Lavandula angustifolia* Mill.

- 602. *Leonurus cardiaca* L.
- 603. *Melissa officinalis* L.
- 604. *Mentha aquatica* L.
- 605. *Mentha canadensis* L.
- 606. *Mentha longifolia* (L.) L.
- 607. *Mentha longifolia* (L.) L. var. *schimperii* (Briq.) Briq.
- 608. *Mentha x piperita* L.
- 609. *Mentha spicata* L.
- 610. *Mentha suaveolens* Ehrh.
- 611. *Mentha x suaveis* Guss.
- 612. *Moluccella laevis* L.
- 613. *Monarda didyma* L.
- 614. *Monarda fistulosa* L. var. *menthifolia* (Graham) Fernald
- 615. *Ocimum x africanum* Lour.
- 616. *Ocimum basilicum* L.
- 617. *Ocimum basilicum* L. var. *minimum* (L.) Alef.
- 618. *Origanum majorana* L.
- 619. *Origanum vulgare* L.
- 620. *Origanum vulgare* L. subsp. *viridulum* (Martrin-Donos) Nyman
- 621. *Perilla frutescens* (L.) Britton
- 622. *Phlomis bovei* Noë
- 623. *Phlomis fruticosa* L.
- 624. *Phlomis italica* L.
- 625. *Phlomis samia* L.
- 626. *Phlomis viscosa* Poir.
- 627. *Phlomoides alpina* (Pall.) Adylov, Kamelin & Makhm.
- 628. *Phlomoides tuberosa* (L.) Moench
- 629. *Salvia coccinea* Buc'hoz
- 630. *Salvia farinacea* Benth.
- 631. *Salvia hispanica* L.
- 632. *Salvia lyrata* L.
- 633. *Salvia sclarea* L.
- 634. *Salvia tiliifolia* Vahl
- 635. *Salvia transsylvanica* (Schur) Schur
- 636. *Salvia verticillata* L.
- 637. *Satureja montana* L.
- 638. *Stachys iberica* M.Bieb.
- 639. *Teucrium canadense* L.
- 640. *Teucrium chamaedrys* L.
- 641. *Teucrium flavum* L.

- 642. *Teucrium hircanicum* L.
- 643. *Teucrium montanum* L.
- 644. *Teucrium scorodonia* L.
- 645. *Vitex agnus-castus* L.

LAURACEAE

- 646. *Cinnamomum verum* J.Presl
- 647. *Laurus nobilis* L.

LILIACEAE

- 648. *Lilium formosanum* A.Wallace
- 649. *Lilium henryi* Baker
- 650. *Lilium leucanthum* (Baker) Baker
- 651. *Lilium regale* E.H.Wilson
- 652. *Tricyrtis formosana* Baker
- 653. *Tricyrtis lasiocarpa* Matsum.
- 654. *Tulipa sylvestris* L.

LINACEAE

- 655. *Linum flavum* L.
- 656. *Linum usitatissimum* L.

LYTHRACEAE

- 657. *Lythrum salicaria* L.

MAGNOLIACEAE

- 658. *Magnolia grandiflora* L.

MALPIGHIACEAE

- 659. *Malpighia glabra* L.

MALVACEAE

- 660. *Abelmoschus esculentus* (L.) Moench
- 661. *Abutilon theophrasti* Medik.
- 662. *Althaea cannabina* L.
- 663. *Althaea officinalis* L.
- 664. *Callirhoe involucrata* (Torr. & A.Gray) A.Gray
- 665. *Corchorus olitorius* L.
- 666. *Hibiscus cannabinus* L.
- 667. *Hibiscus coccineus* Walter
- 668. *Hibiscus diversifolius* Jacq.
- 669. *Hibiscus moscheutos* L.
- 670. *Hibiscus trionum* L.
- 671. *Kitaibelia vitifolia* Willd.

672. *Kosteletzkya pentacarpos* (L.) Ledeb.
673. *Lagunaria patersonia* (Andrews) G.Don
674. *Malva alcea* L.
675. *Malva arborea* (L.) Webb & Berthel.
676. *Malva sylvestris* L.
677. *Napaea dioica* L.
678. *Pavonia spinifex* (L.) Cav.

MARANTACEAE

679. *Thalia dealbata* Fraser

MARTYNIACEAE

680. *Ibicella lutea* (Lindl.) Van Eselt.
681. *Proboscidea louisiana* (Mill.) Thell.

MENISPERMACEAE

682. *Cocculus carolinus* (L.) DC.

MONTIACEAE

683. *Claytonia perfoliata* Donn ex Willd.

MORACEAE

684. *Morus alba* L.

MYRTACEAE

685. *Eugenia pitanga* (O.Berg) Ned.
686. *Eugenia uniflora* L.
687. *Plinia cauliflora* (Mart.) Kausel

NELUMBONACEAE

688. *Nelumbo nucifera* Gaertn.

NYCTAGINACEAE

689. *Mirabilis longiflora* L.

NYMPHAEACEAE

690. *Euryale ferox* Salisb.
691. *Nymphaea nouchali* Burm.f. subsp. *caerulea* (Savigny) Verdc.
692. *Victoria cruziana* A.D.Orb.

OLEACEAE

693. *Fontanesia philliraeoides* Labill.
694. *Ligustrum sinense* Lour.

ONAGRACEAE

695. *Circaea lutetiana* L.

- 696. *Epilobium angustifolium* L.
- 697. *Epilobium hirsutum* L.
- 698. *Oenothera biennis* L.
- 699. *Oenothera glazioviana* Micheli
- 700. *Oenothera macrocarpa* Nutt.
- 701. *Oenothera rosea* L'Hér. ex Aiton
- 702. *Oenothera stricta* Ledeb.

ORCHIDACEAE

- 703. *Bletilla ochracea* Schltr.
- 704. *Bletilla striata* (Thunb.) Rchb.f.
- 705. *Vanda falcata* (Thunb.) Beer

OROBANCHACEAE

- 706. *Rehmannia piasezkii* Maxim.

PAEONIACEAE

- 707. *Paeonia officinalis* L.
- 708. *Paeonia veitchii* Lynch

PAPAVERACEAE

- 709. *Argemone mexicana* L.
- 710. *Chelidonium majus* L.
- 711. *Corydalis cava* (L.) Schweigg & Körte
- 712. *Eschscholzia californica* Cham.
- 713. *Glaucium flavum* Crantz
- 714. *Macleaya microcarpa* (Maxim.) Fedde
- 715. *Papaver atlanticum* (Ball) Coss.
- 716. *Papaver orientale* L.
- 717. *Papaver rhoeas* L.
- 718. *Papaver somniferum* L.

PEDALIACEAE

- 719. *Sesamum indicum* L.
- 720. *Sesamum trilobum* (Bernh.) Byng & Christenh.

PETIVERIACEAE

- 721. *Rivina humilis* L.

PHYTOLACCACEAE

- 722. *Phytolacca americana* L.

PIPERACEAE

- 723. *Piper nigrum* L.

PLANTAGINACEAE

- 724. *Antirrhinum braun-blanquetii* Rothm.
- 725. *Digitalis ciliata* Trautv.
- 726. *Digitalis purpurea* L.
- 727. *Erinus alpinus* L.
- 728. *Globularia bisnagarica* L.
- 729. *Gratiola officinalis* L.
- 730. *Linaria purpurea* (L.) Mill.
- 731. *Maurandella antirrhiniflora* (Humb. & Bonpl. ex Willd.) Rothm.
- 732. *Penstemon cobaea* Nutt.
- 733. *Penstemon hirsutus* (L.) Willd.
- 734. *Plantago afra* L.
- 735. *Plantago altissima* L.
- 736. *Plantago arborescens* (Mirb.) Poir.
- 737. *Plantago asiatica* L.
- 738. *Plantago coronopus* L.
- 739. *Plantago major* L.
- 740. *Plantago media* L.
- 741. *Veronica americana* (Raf.) Schwein. ex Benth.
- 742. *Veronica barrelieri* H.Schott ex Roem. & Schult.
- 743. *Veronica catenata* Pennell
- 744. *Veronica grandis* Fisch.
- 745. *Veronica longifolia* L.
- 746. *Veronica orchidea* Crantz

PLUMBAGINACEAE

- 747. *Goniolimon tataricum* (L.) Boiss.
- 748. *Limonium coriarium* H.Arnaud
- 749. *Limonium hyblaeum* Brullo
- 750. *Limonium vulgare* Mill.
- 751. *Plumbago zeylanica* L.

POACEAE

- 752. *Ampelodesmos mauritanicus* (Poir.) T.Durand & Schinz
- 753. *Andropogon gerardii* Vitman
- 754. *Anthoxanthum odoratum* L.
- 755. *Arrhenatherum elatius* (L.) P.Beauv. subsp. *bulbosum* (Willd.)Schüb. & G.Martens
- 756. *Arrhenatherum elatius* (L.) P.Beauv. subsp. *elatius*
- 757. *Avena sativa* L.
- 758. *Avena sterilis* L

- 759. *Avenula pubescens* (Huds.) Dumort.
- 760. *Bouteloua gracilis* (Kunth) Lag. ex Griffiths
- 761. *Brachypodium pinnatum* (L.) P.Beauv.
- 762. *Brachypodium sylvaticum* (Huds.) P.Beauv.
- 763. *Briza maxima* L.
- 764. *Briza media* L.
- 765. *Bromus inermis* Leyss.
- 766. *Bromus ramosus* Huds.
- 767. *Calamagrostis arenaria* (L.) Roth
- 768. *Calamagrostis epigejos* (L.) Roth
- 769. *Cenchrus alopecuroides* (L.) Thunb.
- 770. *Cenchrus longispinus* (Hack.) Fernald
- 771. *Chasmanthium latifolium* (Michx.) H.O.Yates
- 772. *Chrysopogon gryllus* (L.) Trin.
- 773. *Coix lacryma-jobi* L.
- 774. *Cortaderia selloana* (Schult. & Schult.f.) Asch. & Graebn.
- 775. *Cynodon nlemfuensis* Vanderyst
- 776. *Dactylis glomerata* L. subsp. *hispanica* (Roth) Nyman
- 777. *Dactylis glomerata* L. subsp. *lobata* (Drejer) H.Lindb.
- 778. *Deschampsia cespitosa* (L.) P.Beauv.
- 779. *Eragrostis trichodes* (Nutt.) Alph.Wood
- 780. *Festuca amethystina* L.
- 781. *Festuca arvernensis* Auquier, Kerguelen & Markgr.-Dann.
- 782. *Festuca filiformis* Pourr.
- 783. *Festuca heterophylla* Lam.
- 784. *Festuca rubra* L.
- 785. *Glyceria maxima* (Hartm.) Holmb.
- 786. *Helictochloa planiculmis* (Schrad.) Romero Zarco
- 787. *Helictotrichon pubescens* (Huds.) Schult. & Schult.f.
- 788. *Koeleria macrantha* (Ledeb.) Schult.
- 789. *Lagurus ovatus* L.
- 790. *Melica altissima* L.
- 791. *Miscanthus sinensis* Anderss.
- 792. *Molinia arundinacea* Schrank
- 793. *Molinia caerulea* (L.) Moench subsp. *caerulea*
- 794. *Muhlenbergia capillaris* (Lam.) Trin.
- 795. *Pennisetum flaccidum* Griseb.
- 796. *Pennisetum glaucum* (L.) R.Br. cv. "Purple Baron"
- 797. *Phalaris arundinacea* L.
- 798. *Phalaris coerulescens* Desf.

- 799. *Phleum phleoides* (L.) H.Karst.
- 800. *Phragmites australis* (Cav.) Trin. ex Steud.
- 801. *Puccinellia festuciformis* (Host) Parl.
- 802. *Sorghum bicolor* (L.) Moench
- 803. *Stipa parviflora* Desf.
- 804. *Stipa pennata* L.
- 805. *Themeda triandra* Forssk.
- 806. *Thinopyrum elongatum* (Host) D.R.Dewey
- 807. *Tripidium ravennae* (L.) H.Scholz
- 808. *Tripsacum dactyloides* (L.) L.
- 809. *Triticum aestivum* L.
- 810. *Triticum durum* Desf.
- 811. *Triticum spelta* L.
- 812. *Wangenheimia lima* (L.) Trin.
- 813. *Zea mays* L.
- 814. *Zea mexicana* (Schrader) Kuntze

PODOCARPACEAE

- 815. *Podocarpus elatus* R.Br. ex Endl.

POLYGONACEAE

- 816. *Fagopyrum esculentum* Moench
- 817. *Muehlenbeckia platyclada* (F.Muell.) Meisn.
- 818. *Persicaria filiformis* (Thunb.) Nakai
- 819. *Persicaria japonica* (Meisn.) Nakai
- 820. *Rheum palmatum* L.
- 821. *Rumex acetosa* L.
- 822. *Rumex aquaticus* L.
- 823. *Rumex patientia* L.
- 824. *Rumex pulcher* L.
- 825. *Rumex sanguineus* L.
- 826. *Rumex scutatus* L.
- 827. *Rumex utahensis* Rech.f.

PRIMULACEAE

- 828. *Cyclamen persicum* Mill.
- 829. *Lysimachia ciliata* L.
- 830. *Lysimachia thyrsiflora* L.
- 831. *Primula veris* L.

PUNICACEAE

- 832. *Punica granatum* L.

RANUNCULACEAE

- 833. *Anemone hortensis* L.
- 834. *Anemone virginiana* L.
- 835. *Aquilegia atrata* W.D.J.Koch
- 836. *Aquilegia pyrenaica* DC.
- 837. *Aquilegia viridiflora* Pall.
- 838. *Aquilegia vulgaris* L.
- 839. *Clematis campaniflora* Brot.
- 840. *Clematis chinensis* Osbeck
- 841. *Clematis flammula* L.
- 842. *Clematis heracleifolia* DC.
- 843. *Clematis hexapetala* Pall.
- 844. *Clematis jubata* Bisch.
- 845. *Clematis recta* L.
- 846. *Clematis stricta* Wender.
- 847. *Clematis terniflora* DC.
- 848. *Clematis virginiana* L.
- 849. *Clematis viticella* L.
- 850. *Delphinium hispanicum* Willk. ex Costa
- 851. *Delphinium staphysagria* L.
- 852. *Eranthis hyemalis* (L.) Salisb.
- 853. *Helleborus orientalis* Lam.
- 854. *Nigella damascena* L.
- 855. *Pulsatilla vulgaris* Mill.
- 856. *Ranunculus acris* L.
- 857. *Thalictrum aquilegifolium* L.
- 858. *Thalictrum delavayi* Franch.
- 859. *Thalictrum flavum* L.
- 860. *Thalictrum foetidum* L. ssp. *glabrescens* (Takeda) T.Shimizu
- 861. *Thalictrum minus* L.
- 862. *Thalictrum rochebruneanum* Franch. & Sav.
- 863. *Thalictrum speciosissimum* Loefl.

RESEDACEAE

- 864. *Reseda lutea* L.

RHAMNACEAE

- 865. *Paliurus spina-christi* Mill.
- 866. *Rhamnus utilis* Decne.
- 867. *Ziziphus jujuba* Mil.

ROSACEAE

- 868. *Agrimonia eupatoria* L.
- 869. *Agrimonia procera* Wallr.
- 870. *Agrimonia repens* L.
- 871. *Aronia melanocarpa* (Michx.) Elliott
- 872. *Aruncus dioicus* (Walter) Fernald
- 873. *Chaenomeles japonica* (Thunb.) Lindl.
- 874. *Cotoneaster dammeri* C.K.Schneid.
- 875. *Crataegus germanica* (L.) Kuntze
- 876. *Crataegus laevigata* (Poir.) DC.
- 877. *Crataegus monogyna* Jacq.
- 878. *Dasiphora fruticosa* (L.) Rydb.
- 879. *Eriobotrya japonica* (Thunb.) Lindl.
- 880. *Filipendula ulmaria* (L.) Maxim.
- 881. *Filipendula vulgaris* Moench
- 882. *Geum album* J.F.Gmel.
- 883. *Geum canadense* Jacq.
- 884. *Geum urbanum* L.
- 885. *Gillenia trifoliata* (L.) Moench
- 886. *Malus baccata* (L.) Borkh.
- 887. *Physocarpus opulifolius* (L.) Maxim.
- 888. *Potentilla argentea* L.
- 889. *Potentilla detommasii* Ten.
- 890. *Potentilla hirta* L.
- 891. *Potentilla indica* (Jacks.) Th.Wolf
- 892. *Potentilla montenegrina* Pant.
- 893. *Potentilla pusilla* Host
- 894. *Potentilla recta* L.
- 895. *Prinsepia uniflora* Batalin
- 896. *Prunus cerasifera* Ehrh.
- 897. *Prunus cerasus* L.
- 898. *Pseudocydonia sinensis* (Thouin) C.K.Schneid.
- 899. *Rosa arvensis* Huds.
- 900. *Rosa blanda* Aiton
- 901. *Rosa canina* L.
- 902. *Rosa elliptica* Tausch
- 903. *Rosa gallica* L.
- 904. *Rosa moyesii* Hemsl. & E.H.Wilson
- 905. *Rosa multiflora* Thunb.
- 906. *Rosa nutkana* C.Presl

- 907. *Rosa palustris* Marshall
- 908. *Rosa rugosa* Thunb.
- 909. *Rosa serafinii* Viv.
- 910. *Rosa tomentosa* Sm.
- 911. *Rosa villosa* L.
- 912. *Rubus fruticosus* L.
- 913. *Sanguisorba minor* Scop.
- 914. *Sanguisorba minor* Scop. subsp. *balearica* (Bourg. ex Nyman) Muñoz
Garm. & C. Navarro
- 915. *Sanguisorba officinalis* L.

RUBIACEAE

- 916. *Cephalanthus occidentalis* L.
- 917. *Coffea arabica* L.
- 918. *Coffea stenophylla* G. Don
- 919. *Rubia tinctorum* L.

RUTACEAE

- 920. *Citrus x aurantium* L.
- 921. *Citrus x bergamia* (Risso) Risso & Poit.
- 922. *Citrus x limon* (L.) Osbeck
- 923. *Citrus reticulata* Blanco
- 924. *Cneorum tricoccon* L.
- 925. *Ruta graveolens* L.
- 926. *Zanthoxylum schinifolium* Siebold & Zucc.
- 927. *Zanthoxylum simulans* Hance

SAPINDACEAE

- 928. *Aesculus parviflora* Walter
- 929. *Cardiospermum halicacabum* L.
- 930. *Koeleria paniculata* Laxm.

SAXIFRAGACEAE

- 931. *Boykinia aconitifolia* Nutt.
- 932. *Heuchera bracteata* (Torr.) Ser.

SCROPHULARIACEAE

- 933. *Nemesia melissifolia* Benth.
- 934. *Scrophularia nodosa* L.
- 935. *Scrophularia umbrosa* Dumort
- 936. *Verbascum chaixii* Vill.
- 937. *Verbascum phoeniceum* L.

938. *Verbascum sinuatum* L.

939. *Verbascum thapsus* L.

SOLANACEAE

940. *Alkekengi officinarum* Moench

941. *Capsicum annuum* L.

942. *Datura innoxia* Mill.

943. *Datura quercifolia* Kunth

944. *Datura stramonium* L.

945. *Datura wrightii* Regel

946. *Hyoscyamus niger* L.

947. *Jaltomata procumbens* (Cav.) J.L.Gentry

948. *Lycium barbarum* L.

949. *Nicandra physalodes* (L.) Gaertn.

950. *Nicotiana glutinosa* L.

951. *Nicotiana langsdorffii* Weinm.

952. *Nicotiana tabacum* L.

953. *Physalis angulata* L.

954. *Physalis peruviana* L.

955. *Solanum aethiopicum* L.

956. *Solanum atropurpureum* Schrank

957. *Solanum betaceum* Cav.

958. *Solanum citrullifolium* A.Braun

959. *Solanum dulcamara* L.

960. *Solanum macrocarpon* L.

961. *Solanum nigrum* L.

962. *Solanum pimpinellifolium* L.

963. *Solanum pseudocapsicum* L.

964. *Solanum sisymbirifolium* Lam.

965. *Solanum villosum* Mill.

TALINACEAE

966. *Talinum paniculatum* (Jacq.) Gaertn.

TYPHACEAE

967. *Typha domingensis* Pers.

968. *Typha laxmannii* Lepech.

969. *Typha minima* Funck

970. *Typha shuttleworthii* W.D.J.Koch & Sond.

URTICACEAE

971. *Boehmeria cylindrica* (L.) Sw.
972. *Boehmeria japonica* (L.f.) Miq
973. *Boehmeria japonica* (L.f.) Miq. nothovar. *platanifolia* (Franch. & Sav.) Maxim.
974. *Boehmeria splitgerbera* Koidz
975. *Parietaria officinalis* L.
976. *Urtica dioica* L.

VERBENACEAE

977. *Verbena bonariensis* L.
978. *Verbena stricta* Vent.
979. *Verbena urticifolia* L.

VIBURNACEAE

980. *Sambucus ebulus* L.
981. *Sambucus nigra* L.
982. *Viburnum lantana* L.

VITACEAE

983. *Ampelopsis glandulosa* (Wall.) Momiy. var. *brevipedunculata* (Maxim.) Momiy.
984. *Ampelopsis glandulosa* (Wall.) Momiy. var. *heterophylla* (Thunb.) Momiy.
985. *Ampelopsis japonica* (Thunb.) Makino
986. *Cissus palmate* Poir.
987. *Cyphostemma juttae* (Dinter & Gilg) Desc.
988. *Vitis berlandieri* Planch.

ZINGIBERACEAE

989. *Hedychium gardnerianum* Sheph. ex Ker Gawl.

ZYGOPHYLLACEAE

990. *Tribulus terrestris* L.

Nomenclatio secundum:

AESCHIMANN D. et al., 2004 - Flora Alpina. Zanichelli, Bologna.

ANDERSON E. F., 2001 - The Cactus Family. Timber Press, Portland, Oregon.

BARTOLUCCI F. et al., 2018 – An updated checklist of the vascular flora native to Italy. *Plant Biosystems*, 152 (2):179-303

BARTOLUCCI F. et al., 2024 - A second update to the checklist of the vascular flora native to Italy. *Plant Biosystems*, 158 (2): 219-296.

TUTIN T.G. et al., 1964-1993 - Flora Europaea. Cambridge University Press, Cambridge.

WALTERS S.M. et al., 1986-2000 - The European Garden Flora. Cambridge University Press, Cambridge.

STEVENS, P. F. (2001 onwards). Angiosperm Phylogeny Website. Version 14, July 2017 *Published on the Internet*: <http://www.mobot.org/MOBOT/research/APweb/>

POWO, 2024 - Plants of the World Online. Facilitated by the Royal Botanic Gardens, Kew. Published on the Internet; <http://www.plantsoftheworldonline.org/>

WFO, 2024 - World Flora Online. Published on the Internet; <http://www.worldfloraonline.org>